Date Issued: 6/4/2015

SECTION 1: IDENTIFICATION OF THE PREPARATION AND THE COMPANY

PRODUCT NAME: BOWL CLIP (CUCMBER MELON), CL702CM RECOMMENDED USE: Deodorizer RESTRICTIONS ON USE: For intended use only SUPPLIER:

Clea 5450 W. 83rd Street Los Angeles, CA 90045 **TELEPHONE:** 888.323.2532

EMERGENCY CONTACT (spill/release): 800-424-9300

Section 2: HAZARDS IDENTIFICATION

<u>General</u>: Contains small amounts of chemicals that are hazardous to health and the environment but in quantities too small to constitute any practical risks to health or the environment. Combustible material.

UNDER EC REGULATION 1272/2008 AS AMENDED ("CLP")

Skin Irrit. 2	H315
Skin Sens. 1	H317
Eye Dam. 1	H318
Aquatic Chronic 2	H411
Aquatic Chronic 3	H412

UNDER EC DIRECTIVE 67/548/EEC AS AMENDED ("DPD")

- R38 Irritating to skin
- R41 Risk of serious damage to eyes
- R43 May cause sensitisation by skin contact
- R51/53 Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment
- R52/53 Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic environment

UNDER EC REGULATION 1272/2008 AS AMENDED ("CLP")

Signal word:

DANGER

Pictograms:

Corrosion Exclamation mark Environment

Hazard Statements:

- H315 : Causes skin irritation
- H317 : May cause an allergic skin reaction
- H318 : Causes serious eye damage
- H411 : Toxic to aquatic life with long lasting effects
- H412 : Harmful to aquatic life with long lasting effects

Precaution Statements:

P103: Read label before use
P273: Avoid release to the environment
P280: Wear protectic gloves/protection clothing/eye protection/face protection
P302 + P352: IF ON SKIN: Wash with plenty of water
P333 + P313: If skin irritation or rash occurs: Get medical advice/attention
P501: Dispose of contents/container to approved containers

Labeling According to EU Guidelines

Xi: Irritant N: Dangerous for the environment

UNDER EC DIRECTIVE 67/548/EEC AS AMENDED ("DPD")

Hazard Symbols:



<u>Risk Phrases:</u>

- R38 Irritating to skin
- R41 Risk of serious damage to eyes

R43 May cause sensitisation by skin contact

- R51/53 Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment
- R52/53 Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic environment

Safety Phrases:

S24: Avoid contact with skin

S25: Avoid contact with eyes

S26: In case of contact with eyes, rinse immediately with plenty of water and seek medical advice

S37/39: Wear suitable gloves and eye/face protection

S45: In case of accident or if you feel unwell seek medical advice immediately (show the label where possible)

S60: This material and its container must be disposed of as hazardous waste

S61: Avoid release to the environment. Refer to special instructions/safety data sheet

SECTION 3: INGREDIENT INFORMATION

<u>Chemical Identification</u>: Solid plastic slow-release deodorizing preparation in the form of a

toilet bowl clip. It is made from pigmented thermoplastic impregnated

with a fragrance composition and color to represent the fragrance. For institutional use only.

Form/Shape: Toilet bowl clip weighs approximately 45g.

<u>CAS Number</u>: Not applicable since the product is a preparation.

<u>EINECS/ELINCS #:</u> Not applicable since the product is a preparation.

The product is a complex mixture of substances of which the following have been classified as presenting a health or environmental hazard or as having an occupational exposure limit within the meaning of the Directive 67/548/EEC or 1999/45/EC

				Hazard Classification	
Level (%)	CAS Nr	EC Nr	Substance	(Dir. 67/548/CE)	(Reg. CE 1272/2008)
			ETHYLENE-VINYL ACETATE		
60-80%	24937-78-8		COPOLYMER		

0.35-3.5%	78-70-6	201-134-4	1,6-OCTADIEN-3-OL, 3,7-DIMETHYL-	R38	Xi	H315 Skin Irrit. 2
			2(3H)-FURANONE, 5-			
0.35-3.5% 104-67	104-67-6	203-225-4	HEPTYLDIHYDROXY-	R51/53	Ν	H411 Aquatic Chronic 2
			2,6-OCTADIEN-1-OL, 3,7-DIMETHYL-	,		
0.35-3.5%	105-87-3	203-341-5	, ACETATE, (E)-	R51/53	Ν	H411 Aquatic Chronic 2
0.35-3.5%	104-55-2	203-213-9	2-PROPENAL, 3-PHENYL-	R38	Xi	H315 Skin Irrit. 2
0.33-3.370 104-3				R43		H317 Skin Sens. 1
			4,7-METHANO-1H-INDEN-6-OL,			
			3a,4,5,6,7,7a-HEXAHYDRO-,			
0.35-3.5%	5413-60-5	226-501-6	ACETATE	R51/53	Ν	H411 Aquatic Chronic 2
0.35-3.5%	142-92-7	205-572-7	ACETIC ACID, HEXYL ESTER	R51/53	Ν	H411 Aquatic Chronic 2
0.35-3.5%	101-84-8	202-981-2	BENZENE, 1,1'-OXYBIS-	R51/53	Ν	H411 Aquatic Chronic 2
			BENZENEETHANOL, a,a-DIMETHYL-,	- ,		
0.35-3.5%	151-05-3	205-781-3	ACETATE	R52/53		H412 Aquatic Chronic 3
			BENZENEPROPANAL, 4-(1,1-	- ,		
0.35-3.5%	80-54-6	201-289-8	DIMETHYLETHY)-a-METHYL-	R38	Xi	H315 Skin Irrit. 2
0.00 0.070		201 205 0		R43		H317 Skin Sens. 1
				R51/53	Ν	H411 Aquatic Chronic 2
	1		BENZENEPROPANAL, a-METHYL-4-			····-
0.35-3.5%	103-95-7	203-161-7	(1-METHYLETHYL)-	R38	Xi	H315 Skin Irrit. 2
0.00 0.070	100 00 /	200 202 /	()	R43		H317 Skin Sens. 1
				R51/53	Ν	H411 Aquatic Chronic 2
			BENZOIC ACID, PHENYLMETHYL	- ,		
0.35-3.5%	120-51-4	204-402-9	ESTER	R38	Xi	H315 Skin Irrit. 2
0.33 3.370			CYCLOHEXANOL, 2-(1,1-			
0.35-3.5%	88-41-5	201-828-7	DIMETHYLETHYL)-, ACETATE	R43		H317 Skin Sens. 1
			CYCLOHEXANOL, 4-(1,1-			
0.35-3.5%	32210-23-4	250-954-9	DIMETHYLETHYL)-, ACETATE	R51/53	N	H411 Aquatic Chronic 2
0.35-3.5%	112-31-2	203-957-4	DECANAL	R38	Xi	H315 Skin Irrit. 2
	112 51 2	203 337 1		R52/53		H412 Aquatic Chronic 3
0.35-3.5%	122-99-6	204-589-7	ETHANOL, 2-PHENOXY-	R38	Xi	H315 Skin Irrit. 2
0.33-3.370	122 33 0	201 303 7	- / -	1.50		
			OXIRANECARBOXYLIC ACID, 3-			
0.35-3.5%	77-83-8	201-061-8	METHYL-3-PHENYL-, ETHYL ESTER	R52/53		H412 Aquatic Chronic 3
0.35-3.5%	8000-41-7	232-268-1	TERPINEOL	R38	Xi	H315 Skin Irrit. 2
	8000-41-7	232-200-1	2,6-OCTADIEN-1-OL, 3,7-DIMETHYL-		AI	11515 Skir litt. 2
0.035-0.35%	106-24-1	203-377-1	, (E)-	R38	Xi	H315 Skin Irrit. 2
	100-24-1	203-377-1	, (⊑)-	R41	Xi	H318 Eye Dam. 1
				R41	AI	H317 Skin Sens. 1
	+		BENZALDEHYDE, 4-HYDROXY-3-			HSTY SKILLSENS. T
	121-33-5	204-465-2	METHOXY-	R43		H317 Skin Sens. 1
	121-33-3	204-403-2		1143		11317 JKII 36113. T
0.035-0.35%	122-40-7	204 E41 E	HEPTANAL, 2-(PHENYLMETHYLENE)-	D/12		H317 Skin Sens. 1
	122-40-7	204-541-5	TILF TAINAL, 2-(FREINTLIVIE IRTLENE)		N	
				R51/53	N	H411 Aquatic Chronic 2

SECTION 4: FIRST AID MEASURES

General: No specific acute effects or symptoms are known.

Inhalation: No acute effects expected. If person is feeling unwell, remove to fresh air.

<u>Ingestion</u>: Possibility of ingestion limited due to product form and difficulty to chew and ingest. In the event of ingestion, rinse mouth thoroughly with water.

Skin: Wash off with soap and water.

Eyes: Possibility of eye contact limited. In the event, wash thoroughly with water or approved eyewash.

SECTION 5: FIRE FIGHTING MEASURES

Extinguishing Media: Use extinguishing media appropriate for the surrounding fire. Water spray, fog or mist. Dry chemicals, sand etc.

<u>Exposure Hazards</u>: Thermal decomposition or burning may release a variety of products ranging from simple hydrocarbons to toxic/irritating gases including carbon monoxide and carbon dioxide. Full protective clothing should be worn before a confined fire space is entered. Self-contained breathing apparatus should be worn.

SECTION 6: ACCIDENTAL RELEASE MEASURES

No special requirements for accidental release required. Apply good housekeeping practices.

SECTION 7: HANDLING AND STORAGE

<u>Usage Precautions</u>: Follow normal good-housekeeping practices. Keep away from direct flames. <u>Storage Precautions</u>: Keep in cool, dry conditions in original containers at no more than 30° C

SECTION 8: EXPOSURE CONTROL AND PERSONAL PROTECTION

<u>Occupational Exposure limit</u>: Not Established <u>Respiratory Protection</u>: None required under normal usage <u>Protection</u>: Although unexpected, avoid prolonged skin contact. Use chemically resistant gloves as needed. <u>Eye Protection</u>: None required

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

Appearance: Thermoplastic clip infused with fragrance oil. Odor: Cucumber Melon (Green) Odor Threshold: Not determined Color: Green pH value: Not determined/applicable Melting Pt: Estimated 60° C Boiling Pt: Not applicable. Flash pt: Not applicable. Evaporation Rate: Not applicable. Flammability: Not determined/applicable **UEL: Not determined** LEL: Not determined Vapor Pressure: Not determined/applicable Vapor Density: Not determined/applicable **Relative Density: Not determined** Solubility in water: Insoluble. Partition Coefficient: Not determined Autiignition Temperature: Not applicable Decomposition Temperature: Not determined/applicable

SECTION 10: STABILITY AND REACTIVITY

<u>Stability:</u> Normally stable. <u>Conditions to avoid</u>: Avoid extreme heat and naked flames. <u>Materials to avoid</u>: Strong oxidizing agents. <u>Decomposition Products</u>: None under normal storage conditions.

SECTION 11: TOXICOLOGICAL INFORMATION

<u>Acute Effects:</u> Ingredients include a small quantity of volatile fragrance chemicals which may contain small amounts of substances that are harmful if swallowed and/or irritating to the eyes and skin.

Chronic Effects: None are known.

<u>Health Risks</u>:

INHALATION: Prolonged exposure to volatile ingredients is unlikely to cause irritation or other adverse health effects. INGESTION: No practical risk of adverse health effects.

SKIN CONTACT: No practical risk of adverse health effects.

EYE CONTACT: No practical risk of adverse health effects.

SECTION 12: ECOLOGICAL INFORMATION

No specific information has been established regarding the product. However according to the conventional method of Directive 99/45/EC the product is classified as harmful to aquatic organisms, or causing long-term effects in the aquatic environment. Ecotoxicity: N/A Persistence and Degradability: N/A Bioaccumulative Potential: N/A Mobility in Soil: N/A Other Adverse Effects: N/A

SECTION 13: DISPOSAL CONSIDERATIONS

Dispose of in accordance with Local Authority requirements e.g., for used product, as household waste

SECTION 14: TRANSPORT INFORMATION

Product is not regulated as hazardous DOT Classifications: Non Hazardous UN-Number: N/A UN Proper Shipping Name: N/A Transport Hazard Class: N/A Packing group: N/A Marine Pollutant: N/A Special Precautions with Transport: N/A

SECTION 15: REGULATORY INFORMATION

Classification, Packaging and Labeling according to Directive 99/45/EC <u>Signal word</u>:

DANGER

Pictograms:

Corrosion Exclamation mark Environment

Hazard Statements:

- H315 : Causes skin irritation
- H317 : May cause an allergic skin reaction
- H318 : Causes serious eye damage
- H411 : Toxic to aquatic life with long lasting effects
- H412 : Harmful to aquatic life with long lasting effects

Risk Phrases:

R38 Irritating to skin

- R41 Risk of serious damage to eyes
- R43 May cause sensitisation by skin contact
- R51/53 Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment
- R52/53 Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic environment

Safety Phrases:

S24: Avoid contact with skin

S25: Avoid contact with eyes

S26: In case of contact with eyes, rinse immediately with plenty of water and seek medical advice

S37/39: Wear suitable gloves and eye/face protection

S45: In case of accident or if you feel unwell seek medical advice immediately (show the label where possible)

S60: This material and its container must be disposed of as hazardous waste

S61: Avoid release to the environment. Refer to special instructions/safety data sheet

SECTION 16: OTHER INFORMATION

This product safety data sheet has been prepared according to the Chemicals (Hazard Information and Packaging for Supply) Regulations 2009.

The information given is based on data currently available and is believed to be correct. No warranty is expressed or implied regarding the accuracy of these data or from the results of the use thereof. No responsibility is assumed for injury from the use of the product described herein.