Date Issued: 6/4/2015

**SECTION 1: IDENTIFICATION OF THE PREPARATION AND THE COMPANY** 

PRODUCT NAME: DOME (CITRUS), CL707CT

**RECOMMENDED USE:** Deodorizer

**RESTRICTIONS ON USE:** For intended use only

**SUPPLIER:** 

Clea

5450 W. 83rd Street Los Angeles, CA 90045

**TELEPHONE:** 888.323.2532

EMERGENCY CONTACT (spill/release): 800-424-9300

#### **Section 2: HAZARDS IDENTIFICATION**

<u>General</u>: Contains small amounts of chemicals that are hazardous to health and the environment but in quantities too small to constitute any practical risks to health or the environment. Combustible material.

## UNDER EC REGULATION 1272/2008 AS AMENDED ("CLP")

Acute Tox. 4	H302
Skin Irrit. 2	H315
Skin Sens. 1	H317
Eye Dam. 1	H318
Eye Irrit. 2	H319
Aquatic Acute 1	H400
Aquatic Chronic 2	H411
Aquatic Chronic 3	H412

Flammable

## UNDER EC DIRECTIVE 67/548/EEC AS AMENDED ("DPD")

R22	Harmful if swallowed
R36	Irritating to eyes
R38	Irritating to skin
R41	Risk of serious damage to eyes
R43	May cause sensitisation by skin contact
R50/53	Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment
R51/53	Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment
R52/53	Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic environment

# UNDER EC REGULATION 1272/2008 AS AMENDED ("CLP")

Signal word:

R10

**DANGER** 

Pictograms:

Corrosion

Exclamation mark Environment

**Hazard Statements:** 

H302 : Harmful if swallowed H315 : Causes skin irritation

H317 : May cause an allergic skin reaction

H318 : Causes serious eye damageH319 : Causes serious eye irritationH400 : Very toxic to aquatic life

H411 : Toxic to aquatic life with long lasting effectsH412 : Harmful to aquatic life with long lasting effects

## **Precaution Statements:**

P103: Read label before use

P273: Avoid release to the environment

P280: Wear protectic gloves/protection clothing/eye protection/face protection

P302 + P352: IF ON SKIN: Wash with plenty of water

P333 + P313: If skin irritation or rash occurs: Get medical advice/attention

P501: Dispose of contents/container to approved containers

## **Labeling According to EU Guidelines**

Xi: Irritant

N: Dangerous for the environment

Xn: Harmful

## UNDER EC DIRECTIVE 67/548/EEC AS AMENDED ("DPD")

#### **Hazard Symbols:**





## Risk Phrases:

R10 Flammable

R22 Harmful if swallowed R36 Irritating to eyes R38 Irritating to skin

R41 Risk of serious damage to eyes

R43 May cause sensitisation by skin contact

R50/53 Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment
 R51/53 Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment
 R52/53 Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic environment

## Safety Phrases:

S24: Avoid contact with skin

S25: Avoid contact with eyes

S26: In case of contact with eyes, rinse immediately with plenty of water and seek medical advice

S37/39: Wear suitable gloves and eye/face protection

S45: In case of accident or if you feel unwell seek medical advice immediately (show the label where possible)

S60: This material and its container must be disposed of as hazardous waste

S61: Avoid release to the environment. Refer to special instructions/safety data sheet

## **SECTION 3: INGREDIENT INFORMATION**

Chemical Identification: Solid plastic slow-release deodorizing preparation in the form of a

dome. It is made from pigmented thermoplastic impregnated

with a fragrance composition and color to represent the fragrance. For institutional use only.

Form/Shape: Dome weighs approximately 94g in the form of a circle with open holes

(7" diameter approximately)

<u>CAS Number</u>: Not applicable since the product is a preparation.

<u>EINECS/ELINCS #:</u> Not applicable since the product is a preparation.

The product is a complex mixture of substances of which the following have been classified as presenting a health or environmental hazard or as having an occupational exposure limit within the meaning of the Directive 67/548/EEC or 1999/45/EC

Level (%)	CAS Nr	EC Nr	Substance	Hazard Classification			
				(Dir. 67/548/CE)		(Reg. CE 1272/2008)	
			ETHYLENE-VINYL ACETATE				
60-80%	24937-78-8		COPOLYMER				
3.5-6.5%	5392-40-5	226-394-6	2,6-OCTADIENAL, 3,7-DIMETHYL-	R38	Xi	H315	Skin Irrit. 2
3.5-0.570	3332 10 3	220 33 1 0	2,0 0017181211712, 3,7 81111211112	R43	7.1	H317	Skin Sens. 1
0.25-2.5%	122-99-6	204-589-7	ETHANOL, 2-PHENOXY-	R22	Xn	H302	Acute Tox. 4
	111 33 0	20.000,		R36	Xi	H319	Eye Irrit. 2
			2,6-OCTADIEN-1-OL, 3,7-DIMETHYL	-			•
0.25-2.5%	106-24-1	203-377-1	, (E)-	R38	Xi	H315	Skin Irrit. 2
				R41	Xi	H318	Eye Dam. 1
				R43		H317	Skin Sens. 1
0.25-2.5%	106-22-9	203-375-0	6-OCTEN-1-OL, 3,7-DIMETHYL-	R38	Xi	H315	Skin Irrit. 2
				R43		H317	Skin Sens. 1
				R51/53	N	H411	Aquatic Chronic 2
0.25-2.5%	106-23-0	203-376-6	6-OCTENAL, 3,7-DIMETHYL-	R38	Xi	H315	Skin Irrit. 2
				R43		H317	Skin Sens. 1
				R51/53	N	H411	Aquatic Chronic 2
0.25.2.50/	F1F66 62 2	257 200 0	6-OCTENENITRILE, 3,7-DIMETHYL-	DE2/E2		11442	Assorbia Charania 2
0.25-2.5%	51566-62-2	257-288-8	· ·	R52/53		H412	Aquatic Chronic 3
0.25-2.5%	120 51 4	204 402 0	BENZOIC ACID, PHENYLMETHYL ESTER	R22	V	H302	Acute Teu A
	120-51-4	204-402-9	ESTER	R51/53	Xn N	H302	Acute Tox. 4 Aquatic Chronic 2
	1		CYCLOHEXENE, 1-METHYL-4-(1-	1/31/33	IN	11411	Aquatic Cilionic 2
0.25-2.5%	5989-27-5	227-813-5	METHYLETHENYL)-, (R)-	R10			
0.23-2.3%	3363-27-3	227-013-3	WIETTTEETTENTEJ-, (IX)-	R38	Xi	H315	Skin Irrit. 2
				R43	Ai	H317	Skin Sens. 1
				R50/53	N	H400	Aquatic Acute 1
0.25-2.5%	112-31-2	203-957-4	DECANAL	R38	Xi	H315	Skin Irrit. 2
				R52/53		H412	Aquatic Chronic 3
0.25-2.5%	112-54-9	203-893-6	DODECANAL	R38	Xi	H315	Skin Irrit. 2
				R51/53	N	H411	Aquatic Chronic 2
0.25-2.5%	8000-29-1	294-954-7	OILS, CITRONELLA	R38	Xi	H315	Skin Irrit. 2
				R41	Xi	H318	Eye Dam. 1
				R43		H317	Skin Sens. 1
				R51/53	N	H411	Aquatic Chronic 2
0.25-2.5%	8008-57-9	232-433-8	OILS, ORANGE, SWEET	R10			
				R38	Xi	H315	Skin Irrit. 2
				R43		H317	Skin Sens. 1
				R50/53	N	H400	Aquatic Acute 1

## **SECTION 4: FIRST AID MEASURES**

General: No specific acute effects or symptoms are known.

Inhalation: No acute effects expected. If person is feeling unwell, remove to fresh air.

<u>Ingestion:</u> Possibility of ingestion limited due to product form and difficulty to chew and ingest. In the event of ingestion, rinse mouth thoroughly with water.

Skin: Wash off with soap and water.

Eyes: Possibility of eye contact limited. In the event, wash thoroughly with water or approved eyewash.

#### **SECTION 5: FIRE FIGHTING MEASURES**

<u>Extinguishing Media:</u> Use extinguishing media appropriate for the surrounding fire. Water spray, fog or mist. Dry chemicals, sand etc.

<u>Exposure Hazards</u>: Thermal decomposition or burning may release a variety of products ranging from simple hydrocarbons to toxic/irritating gases including carbon monoxide and carbon dioxide. Full protective clothing should be worn before a confined fire space is entered. Self-contained breathing apparatus should be worn.

#### **SECTION 6: ACCIDENTAL RELEASE MEASURES**

No special requirements for accidental release required. Apply good housekeeping practices.

#### **SECTION 7: HANDLING AND STORAGE**

<u>Usage Precautions</u>: Follow normal good-housekeeping practices. Keep away from direct flames. <u>Storage Precautions</u>: Keep in cool, dry conditions in original containers at no more than 30° C

## **SECTION 8: EXPOSURE CONTROL AND PERSONAL PROTECTION**

Occupational Exposure limit: Not Established

Respiratory Protection: None required under normal usage

<u>Protection</u>: Although unexpected, avoid prolonged skin contact. Use chemically resistant gloves as needed.

Eye Protection: None required

## **SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES**

Appearance: Thermoplastic urinal screen infused with fragrance oil.

Odor: Citrus (Yellow Screen)
Odor Threshold: Not determined

Color: Yellow

pH value: Not determined/applicable

Melting Pt: Estimated 60° C Boiling Pt: Not applicable. Flash pt: Not applicable.

Evaporation Rate: Not applicable.

Flammability: Not determined/applicable

<u>UEL:</u> Not determined LEL: Not determined

<u>Vapor Pressure:</u> Not determined/applicable <u>Vapor Density:</u> Not determined/applicable

<u>Relative Density:</u> Not determined Solubility in water: Insoluble.

<u>Partition Coefficient:</u> Not determined <u>Autiignition Temperature:</u> Not applicable

Decomposition Temperature: Not determined/applicable

#### **SECTION 10: STABILITY AND REACTIVITY**

Stability: Normally stable.

Conditions to avoid: Avoid extreme heat and naked flames.

Materials to avoid: Strong oxidizing agents.

<u>Decomposition Products</u>: None under normal storage conditions.

#### **SECTION 11: TOXICOLOGICAL INFORMATION**

<u>Acute Effects:</u> Ingredients include a small quantity of volatile fragrance chemicals which may contain small amounts of substances that are harmful if swallowed and/or irritating to the eyes and skin.

<u>Chronic Effects:</u> None are known.

Health Risks:

INHALATION: Prolonged exposure to volatile ingredients is unlikely to cause irritation or other adverse health effects.

INGESTION: No practical risk of adverse health effects.
SKIN CONTACT: No practical risk of adverse health effects.
EYE CONTACT: No practical risk of adverse health effects.

## **SECTION 12: ECOLOGICAL INFORMATION**

No specific information has been established regarding the product. However according to the conventional method of Directive 99/45/EC the product is classified as harmful to aquatic organisms, or causing long-term effects in the aquatic environment.

Ecotoxicity: N/A

Persistence and Degradability: N/A Bioaccumulative Potential: N/A

Mobility in Soil: N/A

Other Adverse Effects: N/A

#### **SECTION 13: DISPOSAL CONSIDERATIONS**

Dispose of in accordance with Local Authority requirements e.g., for used product, as household waste

## **SECTION 14: TRANSPORT INFORMATION**

Product is not regulated as hazardous DOT Classifications: Non Hazardous

UN-Number: N/A

UN Proper Shipping Name: N/A Transport Hazard Class: N/A

Packing group: N/A
Marine Pollutant: N/A

Special Precautions with Transport: N/A

#### **SECTION 15: REGULATORY INFORMATION**

Classification, Packaging and Labeling according to Directive 99/45/EC

Signal word:

**DANGER** 

Pictograms:

Corrosion

Exclamation mark

Environment

#### **Hazard Statements:**

H302 : Harmful if swallowedH315 : Causes skin irritation

H317 : May cause an allergic skin reaction

H318 : Causes serious eye damageH319 : Causes serious eye irritationH400 : Very toxic to aquatic life

H411 : Toxic to aquatic life with long lasting effectsH412 : Harmful to aquatic life with long lasting effects

### Risk Phrases:

R10 Flammable

R22 Harmful if swallowed R36 Irritating to eyes R38 Irritating to skin

R41 Risk of serious damage to eyes

R43 May cause sensitisation by skin contact

R50/53 Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment

R51/53 Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment
R52/53 Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic environment

## Safety Phrases:

S24: Avoid contact with skin

S25: Avoid contact with eyes

S26: In case of contact with eyes, rinse immediately with plenty of water and seek medical advice

S37/39: Wear suitable gloves and eye/face protection

S45: In case of accident or if you feel unwell seek medical advice immediately (show the label where possible)

S60: This material and its container must be disposed of as hazardous waste

S61: Avoid release to the environment. Refer to special instructions/safety data sheet

### **SECTION 16: OTHER INFORMATION**

This product safety data sheet has been prepared according to the Chemicals (Hazard Information and Packaging for Supply) Regulations 2009.

The information given is based on data currently available and is believed to be correct. No warranty is expressed or implied regarding the accuracy of these data or from the results of the use thereof. No responsibility is assumed for injury from the use of the product described herein.